



CPF 4436

BambooDew

Revitalizing Cream

Attributes

- Frosty gel cream
- Invigorating feel for fresh skin
- Smooth and silky finish
- Improved natural skin glow/radiance
- Reduce appearance of wrinkles

Featured products

- AgeCap™ Smooth Cosmetic Ingredient
- DOWSIL™ PMX-1507 Fluid
- DOWSIL™ EL-7040 Hydro Elastomer Blend

Phase	Trade name / Supplier	INCI name	Wt. %
A	Glycerin / Oleon	Glycerin	4.000
	Propylene Glycol	Propylene Glycol	4.000
	AgeCap™ Smooth Cosmetic Ingredient / Dow	Methoxyhydroxyphenyl Isopropylnitron	0.100
B	Water / Aqua	Water / Aqua	58.575
	Unicert Yellow 08005-J (sol. 0.1% in water) / Sensient	Aqua (and) CI 19140	0.200
	Unicert Blue 05601-J (sol. 0.1% in water) / Sensient	Aqua (and) CI 42090	0.025
	Extrapone Bamboo P / Symrise	Propylene Glycol (and) Aqua (and) Butylene Glycol (and) Bambusa Vulgaris (bamboo) Shoot Extract	1.000
	Cosme-Phytami Dragon Fruit / Alban Muller	Hylocereus Undatus Fruit (dragon fruit) Extract	0.500
C	Makimousse 25 / Daito Kasei	Sodium Polyacrylate Starch	0.500
D	XIAMETER™ PMX-200 Silicone Fluid 2 cSt / Dow	Dimethicone	15.000
	DOWSIL™ EL-7040 Hydro Elastomer Blend / Dow	Caprylyl Methicone (and) PEG-12 Dimethicone / PPG-20 Crosspolymer	10.000
E	DOWSIL™ ES-5612 Formulation Aid / Dow	PEG-10 Dimethicone	0.500
	DOWSIL™ PMX-1507 Fluid / Dow	Dimethicone (and) Dimethiconol	2.500
	DOWSIL™ FC-5002 IDD Resin Gum / Dow	Isododecane (and) Trimethylsiloxysilicate / Dimethiconol Crosspolymer	1.000
	DOWSIL™ EP-9610 Cosmetic Powder / Dow	Dimethicone Crosspolymer	1.000
F	DOWSIL™ VM-2270 Aerogel Fine Particles / Dow	Silica Silylate	0.300
G	Euxyl PE 9010 / Schülke & Mayr	Phenoxyethanol (and) Ethylhexylglycerin	0.500
	Tea Leaf / Symrise	Fragrance	0.300

Procedure:

1. Heat the liquid ingredients of phase B up to 50-60°C under mixing. Sprinkle AgeCap™ ingredient within the vortex and maintain agitation until complete dispersion (± 10 min).
2. Mix phase A ingredients together until homogeneous.
3. Add phase B to phase A under mixing.
4. Sprinkle phase C ingredient within the vortex of phase AB (1000 rpm). Allow the powder to hydrate for $\pm 15-20$ min to avoid agglomerates.
5. Premix the phase D ingredients in a separate beaker.
6. Add phase E ingredients to phase D one-by-one under mixing until homogeneous.
7. Add phase ABC to phase DE under mixing at 1000 rpm until homogeneous.
8. Add phase F ingredient and increase mixing if necessary (1200 rpm maximum).
9. Add phase G ingredients one-by-one under mixing until homogeneous.

Disclaimer: Contained in this package is a sample prepared as per the formulation described on this card. Any variation in the formulation may cause performance to change.

[dow.com/personalcare](https://www.dow.com/personalcare)

Image: dow_66510361585

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

©™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.

© 2021 The Dow Chemical Company. All rights reserved.

2000010624

Form No. 27-3156-01-0621 S2D